

Town of Portugal Cove- St. Philip's

Speed Limit Policy

Pursuant to the authority vested in the Town Council of Portugal Cove-St. Philip's the following policy was adopted on the 30 day of August 2018.

1.0 TITLE

1.1 This document shall be known and cited as the Speed Limit Policy.

2.0 DEFINITIONS

For the purpose of this policy, unless otherwise stated, the following definitions shall apply:

2.1 "**Council**" shall mean the Town Council of Portugal Cove – St. Philip's.

2.2 "**Town**" shall mean the Town of Portugal Cove – St. Philip's.

2.3 "**85th Percentile Speed**" shall mean the maximum speed at which 85 per cent of the drivers are observed to travel at a particular location.

2.4 "**Design Speed**" shall mean the speed selected as a basis to establish appropriate geometric design elements for a particular section of road so that drivers can travel safely at that speed under ideal conditions.

2.5 "**Operating Speed**" shall mean the speed at which a driver is observed operating a vehicle at a particular location.

2.6 "**Playground**" shall mean recreational facilities utilized primarily by children. This includes outdoor playgrounds with play equipment, sports fields, ball diamonds and tot lots (areas with play equipment and benches/picnic tables).

2.7 "**Posted Speed Limit**" shall mean the speed prescribed for motor vehicles on a section of road by municipal by-law and signed accordingly.

2.8 "**Road Classification**" shall mean the classification by road function, which is in accordance with the Town's road classification plan.

2.9 **“School”** shall mean the educational institutions that are attended primarily by children. This includes elementary schools, middles schools and high schools. No distinction is made between public and private schools.

3.0 POLICY STATEMENT

3.1 The intent of this policy is to ensure that safe speed limits are set and to strike a balance between a variety of objectives such as convenience, efficiency, energy conservation, and minimizing environmental impact.

3.2 The purpose of this policy is to provide guidelines for establishing and reviewing posted speed limits within, or in close proximity to, the Town of Portugal Cove-St. Phillip’s. Recommendations resulting from this policy are subject to the approval of jurisdiction having authority.

4.0 APPLICATION

4.1 This policy shall apply to all roadways under the Town of Portugal Cove – St. Philip’s jurisdiction.

5.0 POLICY PROCEDURE

5.1 Setting Posted Speed Limits

The Town of Portugal Cove St Philip’s will set the maximum speed limit of 40 km per hour for all local residential roads, prior to any assessments, annual reviews, public requests or other conditions as set forth in the policy.

Speed Limits will be reviewed using the Transportation Association of Canada’s (TAC) Speed Limit Guidelines, calculation sheet attached. These guidelines will help determine if a speed limit change is warranted and what the new speed should be for the subject roadway.

The resulting speed limit may be set below the recommended speed limit when:

- Constrained by the physical characteristics of the road, such as the design speed
- Required for heightened safety in sensitive areas such as school and playground areas
- Required temporarily for safety in a construction zone
- The 85th percentile speeds are significantly lower than the recommended speed, or
- There is a significantly higher than normal frequency of, or severity of, collisions attributable to excessive speeds

Speed limits will be set between 40 km/h and 80 km/h in increments of 10 km/h.

The minimum length of a speed zone should be 500m.

For roadway passing through ***school frontage*** the following shall apply:

- Roadways with less than 2000 vehicles per day, a speed limit of 40 km/h should be applied to these areas at all times of the day.
- Arterial roadways and roadways with traffic volumes over 2000 vehicles per day should be considered for a part-time reduced speed zone (flashing 40 km/h zone).
- The 40 km/h speed limit would apply to the portion of roadway which is directly fronting the school property and includes a section 150 metres in either direction beyond the edge of the land designated as being for school use.
- The point beyond 150 metres from the edge of the school shall revert back to the speed limit that governed prior to entering the school zone. The reverted speed limit should not be more than 60 km/h.
- The 40 km/h zone may be extended if it results in an adjacent speed limit that is too short to adequately enforce.

5.2 Annual Review of Speed Limits

The Town will undertake annual measurements of operating speeds select locations on the Town road system.

Based on these measurements, the 85th percentile speeds will be compared with the speed limits to identify those locations with significant variance between these two speeds.

For locations where the 85th percentile speeds are significantly higher or significantly lower than the speed limit (more than 10 km/h higher or more than 10 km/h lower than the speed limit) a review of the speed limit will be undertaken using the methodology outlined within the Speed Limit Policy. Input from the Royal Newfoundland Constabulary (RNC) will also be requested to receive their experience in speed enforcement at the location and any general concerns.

Based on the review, Town staff may recommend one of the following courses of action:

- 1) No action is required
- 2) The operating speed is too high and needs to be controlled through one of the following measures:
 - a. Stepped up enforcement by the RNC
 - b. Use of other measures such as driver feedback signs
 - c. Introduction of design features aimed at reducing speeds and improving safety
- 3) The posted speed limit is too low and should be raised
- 4) The posted speed limit is too high and should be lowered

The results and recommendations of the annual review will be submitted to Council for consideration.

In situations in which the speed limits are to be recommended by staff for either lowering or increasing, the residents fronting onto the affected section of roadway will be notified of the recommendations prior to it being submitted to Council.

5.3 Requests by Members of the Public to Change Speed Limits

A request by a member of the public to change the speed limit at a specific location on a Town of Portugal Cove-St. Phillip's road should generally be referred to the annual review.

The results and recommendations of the annual review, related to the specific location, will be communicated to the requestor and other interested parties, prior to it being submitted to Council.

When a signed petition is submitted of no less than 75 percent of the residents located along the affected road section, Town Council may direct that an individual review of the request be carried out by Town staff, without delaying it to the annual review.

In situations in which there is a proposed speed limit change, from the individual reviews, the residents fronting onto the affected road section will be notified of the staff recommendations prior to it being submitted to Council.

6.0 REPEALS

6.1 This policy rescinds all other policy on this subject matter.

7.0 AMENDMENTS

7.1 None.

8.0 DATE EFFECTIVE

8.1 May 17, 2016, Motion #2016-135.



Canadian Guidelines for Establishing Posted Speed Limits

	Automated Speed Limit Guidelines FORM A - Automated Speed Limit Guidelines Spreadsheet																																								
Clear Sheet	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Name of Corridor:</td> <td colspan="2">_____</td> </tr> <tr> <td>Segment Evaluated:</td> <td colspan="2">_____</td> </tr> <tr> <td>Geographic Region:</td> <td colspan="2">_____</td> </tr> <tr> <td>Road Agency:</td> <td colspan="2">_____</td> </tr> <tr> <td>Road Classification:</td> <td style="width: 30%;">Length of Corridor:</td> <td style="width: 20%; text-align: right;">m</td> </tr> <tr> <td>Urban / Rural:</td> <td>Design Speed: (Required for Freeway, Expressway, Highway)</td> <td></td> </tr> <tr> <td>Divided / Undivided:</td> <td>Current Posted Speed: (For information only)</td> <td style="text-align: right;">km/h</td> </tr> <tr> <td>Major / Minor:</td> <td>Prevailing Speed: (85th Percentile - for information only)</td> <td style="text-align: right;">km/h</td> </tr> <tr> <td>Through Lanes Per Direction:</td> <td>Policy: (Maximum Posted Speed)</td> <td></td> </tr> <tr> <td></td> <td style="text-align: center;">RISK</td> <td style="text-align: center;">Score</td> </tr> </table>		Name of Corridor:	_____		Segment Evaluated:	_____		Geographic Region:	_____		Road Agency:	_____		Road Classification:	Length of Corridor:	m	Urban / Rural:	Design Speed: (Required for Freeway, Expressway, Highway)		Divided / Undivided:	Current Posted Speed: (For information only)	km/h	Major / Minor:	Prevailing Speed: (85th Percentile - for information only)	km/h	Through Lanes Per Direction:	Policy: (Maximum Posted Speed)			RISK	Score									
Name of Corridor:	_____																																								
Segment Evaluated:	_____																																								
Geographic Region:	_____																																								
Road Agency:	_____																																								
Road Classification:	Length of Corridor:	m																																							
Urban / Rural:	Design Speed: (Required for Freeway, Expressway, Highway)																																								
Divided / Undivided:	Current Posted Speed: (For information only)	km/h																																							
Major / Minor:	Prevailing Speed: (85th Percentile - for information only)	km/h																																							
Through Lanes Per Direction:	Policy: (Maximum Posted Speed)																																								
	RISK	Score																																							
More...	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">A1</td> <td style="width: 55%;">GEOMETRY (Horizontal)</td> <td rowspan="2" style="width: 30%; text-align: center; vertical-align: middle;"> Calculate Total Risk* Score _____ Total Risk Score: _____ </td> </tr> <tr> <td>A2</td> <td>GEOMETRY (Vertical) AJ</td> </tr> <tr> <td></td> <td>AVERAGE LANE WIDTH</td> <td></td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td>B</td> <td>ROADSIDE HAZARDS C1</td> <td rowspan="2" style="vertical-align: middle;"> _____ Recommended Posted Speed Limit (km/h): _____ </td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td></td> <td>PEDESTRIAN EXPOSURE</td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td>C2</td> <td>CYCLIST EXPOSURE</td> <td></td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td>D</td> <td>PAVEMENT SURFACE</td> <td></td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td colspan="2"> NUMBER OF INTERSECTIONS WITH PUBLIC ROADS STOP controlled intersection Signalized intersection Roundabout or traffic circle Crosswalk Active, at-grade railroad crossing Sidestreet STOP-controlled or lane </td> <td style="vertical-align: middle;"> As determined by policy _____ _____ </td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td colspan="2"> NUMBER OF INTERSECTIONS WITH PRIVATE ACCESS Left turn movements permitted Right-in/Right-out only </td> <td style="vertical-align: middle;"> The recommended posted speed limit may be checked against the prevailing speeds of the roadway and the road's safety performance. Comments: _____ _____ </td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td colspan="2"></td> <td></td> </tr> <tr> <td style="vertical-align: top;">More...</td> <td colspan="2"></td> <td></td> </tr> </table>		A1	GEOMETRY (Horizontal)	Calculate Total Risk* Score _____ Total Risk Score: _____	A2	GEOMETRY (Vertical) AJ		AVERAGE LANE WIDTH		More...	B	ROADSIDE HAZARDS C1	_____ Recommended Posted Speed Limit (km/h): _____	More...		PEDESTRIAN EXPOSURE	More...	C2	CYCLIST EXPOSURE		More...	D	PAVEMENT SURFACE		More...	NUMBER OF INTERSECTIONS WITH PUBLIC ROADS STOP controlled intersection Signalized intersection Roundabout or traffic circle Crosswalk Active, at-grade railroad crossing Sidestreet STOP-controlled or lane		As determined by policy _____ _____	More...	NUMBER OF INTERSECTIONS WITH PRIVATE ACCESS Left turn movements permitted Right-in/Right-out only		The recommended posted speed limit may be checked against the prevailing speeds of the roadway and the road's safety performance. Comments: _____ _____	More...				More...			
A1	GEOMETRY (Horizontal)	Calculate Total Risk* Score _____ Total Risk Score: _____																																							
A2	GEOMETRY (Vertical) AJ																																								
	AVERAGE LANE WIDTH																																								
More...	B	ROADSIDE HAZARDS C1	_____ Recommended Posted Speed Limit (km/h): _____																																						
More...		PEDESTRIAN EXPOSURE																																							
More...	C2	CYCLIST EXPOSURE																																							
More...	D	PAVEMENT SURFACE																																							
More...	NUMBER OF INTERSECTIONS WITH PUBLIC ROADS STOP controlled intersection Signalized intersection Roundabout or traffic circle Crosswalk Active, at-grade railroad crossing Sidestreet STOP-controlled or lane		As determined by policy _____ _____																																						
More...	NUMBER OF INTERSECTIONS WITH PRIVATE ACCESS Left turn movements permitted Right-in/Right-out only		The recommended posted speed limit may be checked against the prevailing speeds of the roadway and the road's safety performance. Comments: _____ _____																																						
More...																																									
More...																																									

FIGURE 6.1 - FORM A: DATA ENTRY AND

AUTOMATED CALCULATION OF RECOMMENDED POSTED SPEED LIMIT